




## Ultra-Short-Throw Projector with Widescreen Projection and a Host of Connectivity Options

### FEATURES

- 3,300 ANSI lumens with a 10,000:1 contrast ratio
- Delivers a large 80" to 100" image from a ultra-short distance
- Helps prevent shadow obstruction and light glare in the presenter's eyes
- DisplayPort connector for digital audio and video signals
- DLP® and BrilliantColor™ technologies for sharp and detailed image quality
- High-efficiency lamp that last up to 10,000 hours (in economy mode)
- Network ready for integration and system administration via RJ45
- VGA-output for display on a secondary monitor
- Powerful 20W audio speaker
- Top-loading, cover for quick and easy lamp replacement
- Sealed optical engine, minimizing the impact of dust and smoke
- Keypad lock prevents accidental system adjustments



## Peace of mind and lower total cost of ownership

With a high brightness of 3,300 ANSI Lumens and a 10,000:1 contrast ratio the D755WT is able to deliver sharp, vibrant pictures. The projector features direct 3D, ensuring that the D557WT is more than capable of handling media applications available now and in the future. The new Dynamic Eco lamp management system, increases the lamp life up to 10,000 hours, which makes the D755WT an economic projector to run.



## D755WT SPECIFICATIONS

Image	<b>Display Type</b>	Single chip DLP® Technology by Texas Instruments
	<b>Brightness</b>	3300
	<b>Native Resolution</b>	WXGA (1280 x 800)
	<b>Max. Supported Resolution</b>	WUXGA (1920x1200) @60Hz
	<b>Native Aspect Ratio</b>	16:10
	<b>Contrast Ratio</b>	10,000:1
	<b>Keystone Correction</b>	Vertical: +/- 40°
	Optical	<b>Throw Ratio</b>
<b>Zoom Ratio</b>		Fixed 1x
<b>Lens Shift ( Based on Full Image Height)</b>		Limited Lens Shift Vertical ±1.7%
<b>Image Size (Diagonal)</b>		80"- 100"
<b>Projection Distance</b>		283 - 446 mm
<b>Projection Lens</b>		F = 2.5, f = 5.1 mm
<b>Offset (Based on Full Image Height)</b>		120%
Features		<b>Features</b>
Compatibility	<b>Video</b>	SDTV (480i, 576i) / EDTV (480p, 576p) / HDTV (720p, 1080i, 1080p), NTSC (M, 3.58/4.43 MHz), PAL (B,D,G,H,I,M,N) SECAM (B,D,G,K,K1,L)
Connectivity	<b>I/O Connection Ports</b>	VGA-In (15pin D-Sub) (x2), HDMI v 1.4 , Display Port, S-Video, Composite Video, Audio-In (RCA) , Audio-In (Mini-Jack), VGA-Out (15pin D-Sub), Audio-Out (Mini-Jack), RJ45, RS-232, 3D-Sync, USB A (Power Only), USB B (Service), Microphone (Mini-Jack)
General	<b>Dimensions (W x D x H)</b>	287.7 x 374.5 x 122.6 mm (not including height of mirror )
	<b>Weight</b>	5
	<b>Power</b>	Supply: AC 100-240V, 50/60Hz Consumption: 250W (Eco. Mode), 290W (Normal Mode), <0.5W (Standby)
	<b>Lamp Life and Type</b>	5,000 / 10,000 Hours (Normal / Eco. Mode), 230W/200W
	<b>Speakers</b>	10W x 2
	<b>Noise Level</b>	33dB / 29dB (Normal / Eco. Mode)
	<b>Standard Accessories</b>	VGA Cable, User Manual (CD), Quick Start Guide, Warranty Card (by region), Remote Controller (with battery), IR interactive Pen / nbr, AC Power Cord
	<b>Optional Accessories</b>	Spare Lamp P/N (5811118004-SVV), 3D Glasses P/N (3534257700), Universal Wall Mount (T/R 0.35) (%WM-3), Remote Control P/N (5041841300), Interactive Pen P/N (5811118885-SVV)
	<b>Warranty</b>	Standard Warranty: 3 years projector / 1 year on lamp or 1.000 hours whichever comes first, Education Warranty: 5 years projector / 3 years on lamp or 2.000 hours whichever comes first
	<b>UPC Code</b>	814964 338631