



Full High-Definition Projection Primed for Home Cinema Viewing

FEATURES

- Full HD 1080p (1920x1080) resolution for the best quality, sharpness and clarity of image
- High brightness of 2,000 ANSI lumens and high 50,000:1 contrast ratio ensuring a crisp and sharp image
- DLP® DarkChip3™ and BrilliantColor™ technologies for optimal black levels and vibrant colorful images
- Six segment color wheel for outstanding color reproduction
- VividMotion reduces fast-moving motion judder to create a fluid and flawless video stream
- MHL device compatibility for streaming of video and audio content from a compatible mobile device
- Vertical len shift for greater installation convenience and flexibility
- Built-in 10W audio speaker for high quality audio playback
- Energy efficient lamps that last up to 5,000 hours (in dynamic eco. mode)
- Conveniently adjust the zoom and focus manually at the turn of a button
- Sealed engine to minimize the impact of dust and smoke
- Top sided lamp cover for simple lamp removal and insertion
- Integrated Closed Caption Decoding (CCD) automatically converts the audio portion of a tv's signal and displays it as subtitles on the projected screen
- Anti-theft security features include: Kensington® security slot, security bar, and PIN lock keypad



An outstanding home cinema projector with embedded VividMotion

The H1188 with a Full HD 1080p resolution delivers 2,000 ANSI lumens of brightness with a high contrast ratio of 50,000:1. The projector includes the VividMotion technology that allows the smoothening of the picture during a fast pan movement. This feature is specially appreciated during the display of action movies and sport events. To ensure accurate colour and realistic reproduction, this model is also equipped with a six-segment color wheel. Easy to set up and install, the H1186 features a vertical lens shift for greater installation flexibility. The projector comes with a complete set of multimedia connectivity options such as HDMI v1.4, MHL inputs to allow users to connect their cable/satellite receiver, Blu-Ray disc player or video gaming console, as well as various I/O ports such as VGA, S-Video, component and composite video, 3D Sync, RS-232, and 12v trigger.

H1188

HOME CINEMA



SPECIFICATIONS



Display Type	Single 0.65" DLP® Technology by TI
Brightness	2,000 ANSI Lumens
Native Resolution	1080p (1920 x 1080)
Maximum Resolution	WUXGA (1920 x 1200) @60Hz
Contrast Ratio	50,000:1
Lamp Life and Type	3,000/4,000/5,000 Hours (Normal/Eco/Dynamic Eco. Mode) 260W/205W
Throw Ratio	1.39 - 2.09:1
Image Size (Diagonal)	25.9" - 324.9"
Projection Distance	1.2 - 10m
Projection Lens	F=2.418-2.97, f=20.7-31.05mm
Zoom Ratio	1.5x
Aspect Ratio	16:9
Offset (full image height)	130%
Keystone Correction	Vertical +/- 40°
Horizontal Frequency	15, 31 ~ 91.4kHz
Vertical Scan Rate	24 ~ 30Hz, 47 ~ 120Hz
3D Compatibility	Yes (Via DLP® Link™, Blu-ray 3D)
Audio	10W (Mono)
Computer Compatibility	VGA, SVGA, XGA, SXGA, SXGA+, UXGA, WUXGA@60hz, Mac
Video Compatibility	SDTV (480i, 576i) / EDTV (480p, 576p) / HDTV (720p, 1080i, 1080p), NTSC (M, 3.58/4.43 MHz), PAL (B,D,G,H,I,M,N) SECAM (B,D,G,K,L)
I/O Connection Ports	HDMI v1.4, MHL/HDMI v1.4, VGA-In, Component (YPbPr RCA x 3), Composite Video, Audio-In (RCA), Audio-Out (Mini-Jack), 12V-Trigger (Mini-Jack), RS-232C, 3D-Sync-Out, USB Power (5V, 1.5A), Mini-USB (Service)
Security Solutions	Kensington® Security Slot, Security Bar, Keypad Lock
Dimensions (WxDxH)	285 x 261 x 121.8 mm
Weight	3,15kg
Noise Level	34dB/29db (Normal /Eco. Mode)
Power	Supply: AC 100-240V, 50/60Hz Consumption: 290W (Normal Mode) 240W (Eco. Mode) <0.5W (Standby Mode)
Warranty	Standard: 3 years projector / 1 year on lamp or 1000 hours whichever comes first
Standard Accessories	AC Power Cord, HDMI Cable, Remote Control, Carry Case, Lens Cap, Documentation Kit
Optional Accessories	AC Power Cord, HDMI Cable, Remote Control, Carry Case, Lens Cap, Documentation Kit
Optional Accessories	Lamp: 5811120259-SVV
UPC	813097020529

© Copyright 2015 Vivitek. Vivitek is a registered trademark of Delta Electronics, Inc.

DLP® and the DLP logo are registered trademarks of Texas Instruments. All specifications are subject to change at any time.

Vivitek EMEA, Zandsteen 15, 2132 MZ Hoofddorp, The Netherlands
tel: +31 20 655 0960 | fax: +31 20 655 0999 | email: info@vivitek.eu